


2018
MYUNG MOON
PRODUCT LIST
(SORTED BY EFFICACY GROUP)



Product name	Composition	Indication	Dosage & Administration
> Anti-inflammatory analgesics			
B.E study Loxoprofen Tab.	 Loxoprofen Sodium 68.1mg	Cervical spondylosis, Lumbago, Osteoarthritis, Pain, Periarthritis, Rheumatoid arthritis, Toothache.	Refer to the website of Myungmoon Pharm.Co.,Ltd
B.E study Celecox Cap.	 Celecoxib 200mg	Relief of the signs and symptoms of osteoarthritis, rheumatoid arthritis and ankylosing spondylitis, the management of acute pain in adults, and the treatment of primary dysmenorrhea	Refer to the website of Myungmoon Pharm.Co.,Ltd
B.E study Traphen Tab.	 Acetaminophen 325mg Tramadol HCl 37.5mg	Symptomatic treatment of severe to chronic severe pain	Refer to the website of Myungmoon Pharm.Co.,Ltd
B.E study Traphen Semi Tab.	 Acetaminophen 162.5mg Tramadol HCl 18.75mg		
B.E study Traphen SR Tab.	 Acetaminophen 650mg Tramadol HCl 75.0mg	Symptomatic treatment of severe to chronic severe pain	1-4tablets daily
B.E study Traphen Semi SR Tab.	 Acetaminophen 325mg Tramadol HCl 37.5mg		1-2tablets daily
B.E study Arotal Tab.	 Aceclofenac 100mg	Rheumatoid arthritis, Ankylosing spondylitis, Inflammation, Back pain, Ischialgia, Post perineotomy, Postpartum	1 Tablet, 2 times daily
B.E study Osmeton Tab.	 Nabumetone 500mg	Osteoarthritis requiring anti-inflammatory agent or analgesic , Rheumatoid arthritis, Postoperative pain	2 Tablets, once daily
B.E study Huruma Tab.	 Talniflumate 370mg	Rheumatoid Arthritis, osteoarthritis (degenerative joint disease), Ischialgia, amenorrhea pain, Post-traumatic, Post-operative pain or inflammation, Sciatica, Tenosynovitis, Adnexal inflammation, Pharyngitis, Tonsillitis, Otitis, Sinusitis	370mg, 3 times daily In serious case, 740mg per dose
B.E study Medicox Cap.	 Meloxicam 7.5mg	Osteoarthritis, Rheumatoid arthritis, Ankylosing spondylitis, Postoperative-Posttraumatic-Post dental extraction pain	Refer to the website of Myungmoon Pharm.Co.,Ltd.
B.E study Etodin Cap.	 Etodolac 200mg	Rheumatoid arthritis, Osteoarthritis(degenerative joint disease), Ankylosing spondylitis, Postoperative-Posttraumatic-Post dental extraction pain	200mg ~ 400mg 3 ~ 4 times daily
Myungmoon Nefopam HCl Inj.	 Nefopam HCl 20mg/2ml	Symptomatic treatment of acute pain, especially pain after surgery	20 mg at once
Psychotropic Nalpain Inj. 10mg	 Nalbuphine HCl 10mg/ml	Moderate and severe pain, supplement to balanced anesthesia, for pre- and post-operative analgesia, and for obstetrical analgesia during labor and delivery	10mg/70kg, every 3 ~ 6 hours
Dicknol Inj.	 Diclofenac - β Dimethylaminoethanol 90mg/2ml 90mg/3ml	Rheumatoid arthritis, Osteoarthritis(degenerative arthrosis), Ankylosing spondylitis, Posttraumatic pain, Postoperative inflammation and pain, Acute gout	1 ~ 2 Ampoules daily
Psychotropic Butophan Inj. 1mg, 2mg	 Butorphanol tartrate 1mg/ml Butorphanol tartrate 2mg/ml	Relief of pain requiring opioid-analgesics, Pre-operative and pre-anesthetic treatment, Introduction of anesthesia, Relief of labor pain	1 Ampoule, every 3 ~ 4 hours
Ketocin Inj.	 Ketorolac tromethamine 30mg/ml	Short-term management of moderate to severe pain, Post-operative pain of general surgery	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Toraren Inj.	 Diclofenac Sodium 75mg/2ml	1. Rheumatoid arthritis, Osteoarthritis, Ankylosing Spondylitis, 2. Postoperative-Posttraumatic inflammation and pain, nonarticular rheumatism, Periarthritis of shoulder	1 Ampoule daily
Etodolac Tablet	 Etodolac 400mg Etodolac 600mg	Rheumatoid arthritis, Osteoarthritis	400 ~ 1000mg, once daily


Product name	Composition	Indication	Dosage & Administration
Ketofron Inj. 	Ketoprofen100mg/2ml	• Rheumatoid arthritis, osteoarthritis, ankylosing spondylitis • Perarticular conditions such as fibrositis, bursitis, capsulitis, tendinitis and tenosynovitis • Low back pain of musculoskeletal origin and sciatica • Other painful musculoskeletal conditions • Acute gout • Control of pain and inflammation following orthopaedic surgery	50 to 100mg every 4 hours
Toraren Cream 1% 	Diclofenac diethylammonium11.6mg/g (10 as diclofenac sodium)	• Traumatic inflammation of cord, ligament, muscle and arthrosis (ex : sprain, bruise, wound) • Cartilage tissue rheumatism (ex : tendosynovitis) • Rheumatism disease (ex : osteoarthritis of peripheral arthrosis and backbone)	Apply 2-4mg three to four time daily
Toraren Tab. 	Diclofenac sodium25mg	• Rheumatoid arthritis, osteoarthritis (degenerative arthrosis), ankylosing spondylitis. • Inflammation and pain associated with trauma and postoperative, acute gout, non-articulate rheumatism, back pain, toothache, dysmenorrhea, inflammation and pain of E.N.T disease, scapulohumeral pariarthritis.	4-6 tablets daily
> Osteoarthritis			
Ruma-plus Inj. 	Sodium Hyaluronate 20mg/2ml	Treatment of pain in osteoarthritis (OA) of the knee	2ml at once
> Muscle relaxant			
Methocarbamol Tab. 	Methocarbamol750mg	Symptomatic treatment of painful muscle spasm associated with musculoskeletal disease, Spasticity due to nervous disease	500mg, 3 times daily
Methocarbamol Inj. 	Methocarbamol1g/10ml	Symptomatic treatment of painful muscle spasm associated with musculoskeletal disease, Spasticity due to nervous disease	2 ~ 3 tablets daily
B.E study Epesine Tab. 	Eperisone HCl50mg	Symptomatic treatment of painful muscle spasm associated with musculoskeletal disease	1 tablet, 3 times daily
B.E study Epesine SR Tab. 	Eperisone HCl75mg	Spastic spinal paralysis, postoperative sequelae (together with cerebrospinal tumor), Cerebrovascular diseases, amyotrophic lateral sclerosis, cervical spondylosis, sequelae to trauma (head injury, spinal trauma), spinocerebellar degeneration, spinal vascular diseases, cerebral palsy, and further encephalomyelopathies.	1 tablet, 2 times daily
Gallasin Inj. 	Gallamine triethiodide 10mg/2ml	Spinal sarcitis, Bursitis, Inflammation of fibrous tissue, Lumbago or Pain of torticollis associated with spondylitis, Joint disease, Muscle spasm associated with nervous disease	10 ~ 20mg, every 8 ~ 12 hours
Vecron Inj. 	Vecuronium bromide4mg Vecuronium bromide10mg	Muscle relaxation during anaesthesia, Muscle relaxation to facilitate tracheal intubation, Control of mechanical ventilation, Muscle relaxation during surgery	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Acrium Inj. 	Atracurium Besylate 25 mg/2.5ml	• Skeletal muscle relaxation during anesthesia • Mainatin of muscle relaxation to facilitate endotracheal intubation • Muscle relaxation during surgery • Control of mechanical ventilation	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Rocuron Inj. 	Rocuronium Br25mg/2.5ml Rocuronium Br50mg/5.0ml	Adjunct to general anaesthesia to facilitate tracheal intubation during routine sequence induction and Skeletal muscle relaxation during surgery. Facilitate tracheal intubation during rapid sequence induction and as an adjunct in the intensive care unit (ICU) (e.g. to facilitate intubation) for short term use.	Refer to the website of Myungmoon Pharm.Co.,Ltd.
> Musculoskeletal drugs			
B.E study Leflunomide Tab. 	Leflunomide10mg Leflunomide20mg	1. Treatment of rheumatoid arthritis in adults 2. Reduce signs/symptoms of active psoriatic arthritis	Refer to the website of Myungmoon Pharm.Co.,Ltd.

Product name	Composition	Indication	Dosage & Administration
> Antibiotics and Antifungal			
B.E study Myungmoon Roxithromycin Tab. 	Roxithromycin 150mg	Acute pharyngitis (sore throat and discomfort when swallowing), Tonsillitis, Sinusitis, Acute bronchitis, Pneumonia (lung infection characterised by fever, malaise, headache), Skin and soft tissue infections, Non gonococcal urethritis, Impetigo (bacterial infection causing sores on the skin).	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Amoclan Duo Syrup 	1mL contains Amoxicillin hydrate 40mg Potassium Clavulanate 5.7mg	• Acute bacterial sinusitis (adequately diagnosed) • Acute otitis media • Acute exacerbations of chronic bronchitis (adequately diagnosed) • Community acquired pneumonia • Cystitis • Pyelonephritis • Skin and soft tissue infections in particular cellulitis, animal bites, severe dental abscess with spreading cellulitis • Bone and joint infections, in particular osteomyelitis	Refer to the website of Myungmoon Pharm.Co.,Ltd.
B.E study Amoclan Duo Tab. 500mg 	Amoxicillin hydrate 437.5mg Potassium Clavulanate 62.5mg		
B.E study Amoclan Tab. 375mg 	Amoxicillin hydrate 250mg Potassium Clavulanate 125mg		
B.E study Cefaclor Cap. 	Cefaclor 250mg	Otitis media, Pneumonia, Laryngopharyngitis, Tonsillitis, Bronchitis, Nephropelitis, Urocytitis, Gonorrheal urethritis, Furuncle, Carbuncle-clax, Folliculitis, Cellulitis, Infective atheroma, Subdermal abscess, Felon panaris, Wound infection.	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Ceftazole sodium Inj. 	Ceftazole sodium 1g	Sepsis, Pneumonia, Bronchiectasis (when infected), Secondary infection of chronic respiratory disease, Lung abscess, Peritonitis, Pyelonephritis, Cystitis, Urethritis	Refer to the website of Myungmoon Pharm.Co.,Ltd.
B.E study Ofloxacin Tab. 	Ofloxacin 100mg	Superficial secondary infection, Laryngopharyngitis, Acute bronchitis, Pyelonephritis, Cholecystitis, Prostatitis, endometritis, Otitis media, Sinusitis paranasalis	300 ~ 600mg, 2 ~ 3 times daily, divided oral dose
B.E study Levofuracin Tab. 	Levofloxacin 100mg	Pneumonia, laryngopharyngitis, acute & chronic bronchitis, Pyelonephritis, Intrauterine infection, Folliculitis, Mastadenitis, Otitis media, Periodontal tissue inflammation	100mg, 2 ~ 3 times daily
Ciprofloxacin Inj. 	Ciprofloxacin 200mg/100ml	Respiratory infection, Renal or urinary tract infection, GI infection, Injury and infection of soft tissue, Ophthalmic infection, Infection of gynecology and obstetrics	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Myungmoon Cefepime Inj. 	Cefepime HCl 1g	Serious bacterial infections: sepsis, lower respiratory tractinfection, severe pneumonia, urinary tractinfection, skin and soft tissue infection, febrile neutropenic, intra-abdominal infections, etc.	Refer to the website of Myungmoon Pharm.Co.,Ltd.
B.E study Crerisin Tab. 	Clarithromycin 250mg Clarithromycin 500mg	Lower respiratory tract infection(bronchitis, pneumonia), Upper respiratory tract infection (sinusitis, pharyngitis), Mycobacterium infection. Eradication of H.pylori	250 ~ 500mg, 2 times daily
Netilmicin Sulfate Inj. 	Netilmicin sulfate 100mg/2ml Netilmicin sulfate 150mg/1.5ml	Genitourinary tract infections Skin and Soft-tissue infections, Lower respiratory tract infections including bronchitis and pneumonia, Sepsis, Bone and joint infections, intra-abdominal infections including peritonitis, Prevention of infection in burns, trauma, post-operation	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Tipem Inj. 500mg 	Imipenem 530mg Cilastatin sodium 532mg	Bronchitis, Pneumonia, Pyelonephritis, Cystitis, Prostatitis, Cholecystitis, Hepatopostema, Peritonitis, Intrauterine infection, Sepsis, Infective endocarditis	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Teconin Inj. 	Teicoplanin 200mg	Skin and Soft-tissue infections, Urinary tract infection, Lower respiratory infection, Bone and joint infections, Sepsis, Peritonitis related to continuous ambulatory peritoneal dialysis (CAPD).	Refer to the website of Myungmoon Pharm.Co.,Ltd.
B.E study Furacan Tab. Furacan Cap. 	Fluconazole 150mg	Onychomycosis, Dermatomycoses including tinea pedis, tinea corporis, tinea cruris, pityriasis versicolor & candidiasis. Acute or Recurrent Vaginal candidiasis	Refer to the website of Myungmoon Pharm.Co.,Ltd.
B.E study Cefixime Cap. 	Cefixime 100mg	Bronchitis, Bronchiectasis, secondary infection of chronic respiratory disease, pneumonia, pyelonephritis, cystitis, gonorrheal urethritis, cholecystitis, cholangitis, scarlet fever, otitis media, paranasal sinusitis	50-100mg twice daily
Ceftriaxone sodium Inj. 	Ceftriaxone sodium 1000mg	Infection of the urinary tract, respiratory tract, and skin and also septicaemia and infections in immuocompromised patients.	1-2g per dose by I.M. or I.V.
Meropenem Inj. 	Meropenem trihydrate 500mg Meropenem trihydrate 1000mg	Staphylococcus species, streptococcus species, Enterococcus, Branamella catharralis, Escherichia coli, Citrobacter species, Kleabsiella, Enterobacter, Serratia species, Proteus species, Pseudomonas species, Influenza, Bacteriod species, Neisseria meningitides	0.5-1g two or three divided daily

Product name	Composition	Indication	Dosage & Administration
> Gastrointestinal therapeutics			
B.E study Myungmoon Entecavir Tab.	 Entecavir 0.5mg Entecavir 1.0mg	Chronic hepatitis B virus (HBV) infection in adults with evidence of active viral replication and either evidence of persistent elevations in serum aminotransferases (ALT or AST) or histologically active disease	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Etilen Tab.	 Artemisia asiatica 95% ethanol ext. (20→1) 60mg	Improvement of gastromucosal lesion (acute gastritis, chronic gastritis), Prevention of gastritis via Non-steroid	3 times daily
B.E study Myungmoon Tiropramide HCl Tab.	 Tiropramide HCl 100mg	Biliary colic, abdominal pain caused by unknown etiologies, Abnormal bowel movement, abdominal spasm and pain caused by cholelithiasis, cholecystitis, etc.	2 ~ 3 times daily
B.E study Esprole Tab.	 Esomeprazole magnesium dihydrate 21.69mg (20mg as esomeprazole) Esomeprazole magnesium dihydrate 43.38mg (40mg as esomeprazole)	1. Gastro-oesophageal Reflux Disease (GORD) 2. In combination with appropriate antibacterial therapeutic regimens for the eradication of Helicobacter pylori 3. Patients requiring continued NSAID therapy 4. Treatment of Zollinger Ellison Syndrome 5. In combination with antibiotics in treatment of duodenal ulcer caused by Helicobacter pylori	Refer to the website of Myungmoon Pharm.Co.,Ltd.
B.E study Lafutidine Tab. 10mg	 Lafutidine 10mg	1. Gastric ulcers, duodenal ulcers and stomal ulcers 2. Gastric mucosal lesions (erosion, hemorrhage, redness or edema) associated with acute gastritis and acute exacerbation of chronic gastritis. 3. Preanesthetic medication.	10mg, twice a day
B.E study Pantocid Tab.	 Pantoprazole 20mg	Light gastro-oesophageal reflux disease/ Relevant symptoms, Prevention of gastroduodenal ulcer relevant to persistent NSAID therapy	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Pantocid Inj.	 Pantoprazole 40mg	Reflux oesophagitis, Gastric and duodenal ulcer, Zollinger-Ellison Syndrome and other pathological hypersecretory condition	Refer to the website of Myungmoon Pharm.Co.,Ltd.
B.E study Recostar Tab.	 Rebamipide 100mg	Gastric ulcer, Improvement of gastric lesion in the advanced state of Acute /Chronic gastritis (erosion, bleeding, flare, edema)	1 tablet, 3 times daily
B.E study Cimetidine Tab.	 Cimetidine 200mg	Gastroduodenal ulcer, Reflux esophagitis, Recurrent ulcer, Anastomotic ulcer	2 tablets, 2 times daily
Glycopyrrolate Tab.	 Glycopyrrolate 1mg	Adjuvant of Gastroduodenal ulcer and Irritable bowel syndrome	1~2mg, 3 times daily
B.E study Levosulpiride Tab.	 Levosulpiride 25mg	Relief of the following symptoms due to functional dyspepsia : Abdominal distension, abdominal discomfort, brash, belching, nausea and vomiting	1 tablet, 3 times daily
B.E study Hepses Tab.	 Adefovir dipivoxil 10mg	Treatment of patients with chronic hepatitis B infection and evidence of hepatitis B viral replicatio	1 tablet once daily
Reference drug C&U Cap.	 Magnesium trihydrate salt of chenodeoxycholic and ursodeoxycholic acid 250mg	Cholelithiasis, Biliary indigestion	Cholelithiasis : 2 ~ 3 capsules daily. Biliary indigestion : 1 capsule, 2 times daily
Ratudin Tab.	 Ranitidine HCl 84mg	• Hypergastric acidity • Heartburn • Difficulty swallowing	Refer to the website of Myungmoon Pharm.Co.,Ltd
C&P Tab.	 Camostat mesilate 100mg	• Remission of acute symptoms of chronic pancreatitis • Postoperative reflux esophagitis	1 Tablet, 3 times daily
U&C Cap.	 Biphenyl Dimethyl Dicarboxylate 12.5mg Ursodeoxycholic acid 50mg	Chronic persistent hepatitis	1 Capsule, 3 times daily

Product name	Composition	Indication	Dosage & Administration
B.E study Dimecle Tab.	 Magnesium dimecrotate 50mg	Treatment of indigestion, nausea and vomiting	1 tablet, 3 times before meals.
Alibendol Tab.	 Alibendol100mg	Treatment of indigestion, nausea, vomiting and constipation	300 ~ 400mg/day divided in 3 or 4times
Histal Tab.	 Trimebutine maleate 50mg and 7 other components	Hyperacidity, Brash, Abdominal discomfort, Abdominal distension, Stomach upset, Nausea, Vomiting, Stomachache, Sour belching, Indigestion	2 tablets, 3 times daily
B.E study Almet Tab.	 Cimetropium Bromide 50mg	GI, Biliary, Urinary convulsion & functional motor abnormality, hepatic colic, Renal colic, Dysmenorrhea	50mg per dose
Trospium Chloride Tab.	 Trospium Chloride 5mg	Pain accompanied with spasm of smooth muscle in the following disease : Gastroduodenal ulcer, Gallbladder or Biliary tract disease, Urolithiasis	1 ~ 2 tablets, 3 times daily
Lanprol Cap.	 Lansoprazole 30mg	• Short term treatment of duodenal ulcer • Short term treatment of active benign gastric ulcer • H. Pylori eradication to reduce the risk of duodenal ulcer recurrence	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Polystar Tab.	 Trimebutine Maleate 100mg	Digestive function disorder in gastroesophageal reflux, hiatal hernia, gastroduodenitis and gastroduodentis and gastroduodenal ulcer	100-200mg divided daily
B.E study Moprol Tab.	 Mosapride citrate dihydrate (5mg as Mosapride)5.29mg	Functionl dyspepsia (chronic gastritis) concomitant digestive dysfunction such as pyrosis nausea and vomiting	1 tablet, 3 times a day before or after meal
> Respiratory agent			
Bropidin Tab.	 Levodropropizine 60mg	Acute & Chronic bronchitis	1 tablet, 3 times daily
B.E study Erdose Cap.	 Erdosteine 300mg	Mucolytic agent and expectorant in the treatment of acute and chronic respiratory disease.	1 Capsule, 2 ~ 3 times daily
Ambroxol HCl Inj.	 Ambroxol HCl15mg/2ml	Prevention and treatment in the following diseases : Acute and chronic respiratory disease, Dyspneic symptoms in the premature infant and neonate, Complication of lungs at pre-operating & post-operating	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Levotil Tab. Levotil solution	  Levocetirizine HCl 5mg Levocetirizine HCl 50mg/100mL	Relief of the following disease : Seasonal perennial allergic rhinitis, Chronic idiopathic urticaria, Dermatitis and eczema accompanying itching (Concurrent use with Hydrocortisone topical)	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Cetil Tab.	 Cetirizine HCl 10mg	Seasonal perennial allergic rhinitis, Allergic conjunctivitis, Chronic idiopathic urticaria, Pruritus	10mg, Once daily Oral dose at bed time
Mopram Inj.	 Doxapram HCl monohydrate100mg/5ml	• Postanesthesia : stimulation of respiration in patients with respiratory depression or apnea • Drug-induced central nervous system depression • Chronic pulmonary disease associated with acute hypercapnia	Refer to the website of Myungmoon Pharm.Co.,Ltd.
B.E study Montelair Tab. B.E study Montelair Chew Tab. 5mg B.E study Montelair Chew Tab. 4mg	   Montelukast sodium.....10.40mg (10mg as Montelukast) Montelukast sodium 5.20mg (5mg as Montelukast) Montelukast sodium 4.16mg (4mg as Montelukast)	Prevent and Treatment of asthma, Relieve of symptom of allergic rhinitis	1 Tablet / day.
Pellam Tab.	 Pelargonium sidoides 11% ethanol extract (1→8~10)1538.46mg	Acute bronchitis	3 times daily
Pellam Syrup	 In 100ml Pelargonium sidoides 11% ethanol extract (1→8~10) glycerin mixed solution (8:2) 17.16g	Antitussive, nucolytic agent & expectorant and cough & cold remedy	adult-12year : 6-9ml 6-12years : 3-6ml 1-6year : 1.5-3ml at onces, 3 tiems/day

Product name	Composition	Indication	Dosage & Administration
> Circulatory agent			
Rozet Tab. 10/5mg	 Ezetimibe 10mg Rosuvastatin 5mg	Primary Hypercholesterolemia	1 Tablet, once daily
Rozet Tab. 10/10mg	 Ezetimibe 10mg Rosuvastatin 10mg		
Rozet Tab. 10/20mg	 Ezetimibe 10mg Rosuvastatin 20mg		
B.E study Sapogrelate HCl Tab.	 Sarpogrelate HCl 100mg	Improvement of ischemic symptoms such as ulceration due to chronic artery occlusion syndrome, pain and cooling sense	100mg, 3 times daily
B.E study RosaninPlus Tab.	 Hydrochlorothiazide 12.5mg Losartan Potassium 50mg	Treatment of hypertension	Refer to the website of Myungmoon Pharm.Co.,Ltd.
B.E study RosaninPlus-F Tab.	 Hydrochlorothiazide 25mg Losartan Potassium 100mg		
Cartin Tab.	 L-Carnitine 330mg	1. Primary and Secondary Carnitine deficiency. 2. Myocardial metabolism disorder caused by ischemic cardiac disease, angina pectoris, acute myocardial infarction	2 or 3 times daily 2 ~ 3g for a day
B.E study Simvastatin Tab.	 Simvastatin 20mg	Coronary artery disease, Hyperlipidemia	20mg, Once daily (At night)
Nopid Cap.	 Fenofibrate 200mg	Primary hyperlipidemia : Hypercholesterolemia (Type IIa), Mixed type of Hypercholesterolemia and Hypertriglyceridemia (Type IIb, III), Hypertriglyceridemia (Type IV, V)	200mg, Once daily Oral dose
B.E study Fenodipine SR Tab.	 Felodipine 5mg	Hypertension, Angina pectoris	5mg as starting dose
B.E study Inhipril Tab.	 Cilazapril 2.5mg	Essential Hypertension, Renal hypertension	Refer to the website of Myungmoon Pharm.Co.,Ltd.
B.E study Benipine Tab.	 Benidipine HCl 4mg	Hypertension, Angina pectoris	Hypertension : 2 ~ 4mg, once daily. Angina pectoris: 4mg, 2 times daily
B.E study Eprin Tab.	 Enalapril Maleate 10mg	Hypertension, Cardiac failure : Adjunctive therapy with diuretic or digitalis	Refer to the website of Myungmoon Pharm.Co.,Ltd.
B.E Study Tenarol Tab.	 Atenolol 50mg	Hypertension, Angina Pectoris	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Reference drug Midron Tab.	 Midodrine HCl 2.5mg	Hypotension (orthostatic, essential and symptomatic)	2.5mg, 2 ~ 3 times daily
Reference drug Nitroglycerin Sublingual Tab.	 Nitroglycerin 0.6mg	Angina	1 ~ 2 tablets for a time
Nitro Inj.	 Nitroglycerin 10mg/10ml	Control of pre- or postoperative blood pressure, Congestive heart failure, Angina Pectoris	10 ~ 200 μ g/min
Labesin Inj.	 Labetalol HCl 20mg/4ml Labetalol HCl 100mg/20ml	Hypertensive emergency including gestational hypertension, Hypertension due to acute cardiac infarction, Lowering of blood pressure during anesthesia.	50mg/min
Inopan Inj.	 Dopamine HCl 200mg/5ml	Shock due to myocardial infarction, trauma, endotoxic septicemia, post operation-renal failure and chronic cardiac decompensation	2 ~ 5 μ g/kg/min
Mezofyllin Inj.	 Pentoxifylline 100mg/5ml	1. Cerebral circulatory disorder For the treatment of patients 2. Ophthalmic circulatory disorder 3. Peripheral arterial circulatory disorder	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Cartin Inj.	 L-Carnitine 1g/5ml	1. Primary, Secondary carnitine deficiency 2. Myocardial metabolism disorder caused by ischemic cardiac disease : angina pectoris, acute myocardial infarction 3. Treatment of carnitine deficiency in the end stage renal disease	Refer to the website of Myungmoon Pharm.Co.,Ltd.

Product name	Composition	Indication	Dosage & Administration
B.E study Amlodipine Tab. 	Amlodipine besylate6.944mg (as amlodipine)5mg	Treatment of hypertension, Coronary Artery Stationary Obstruction (chronic stable Angina) or Inotropic ischemia by coronary vasospasm and vasoconstriction (Variant angina)	one or two tablet a day
B.E study Candesan Plus Tab. 	Candesartan Cilexetil16mg Hydrochlorothiazide12.5mg	Essential Hypertension uncontrolled by single ingredient therapy	one twblet once daily
B.E study Candesan Tab. 	Candesartan Cilexetil8mg Candesartan Cilexetil16mg	• Treatment of essential hypertension in adults • Treatment of adult patients with heart failure and impaired left ventricular systolic function	one-two tablet once daily
Clodipin Tab. 	Ticlopidine HCl250mg	• Improvement of blood circulation and treatment of thrombosis and embolism associated with vascular surgery and extracorporeal circulation during cardiac surgery • Improvement of ischemic symptoms such as ulcer, pain and feeling of coldness associated with peripheral arterial occlusive disease • Treatment of thrombosis and embolism associated with ischemic cerebral deficit	Refer to the website of Myungmoon Pharm.Co.,Ltd.
B.E study Pravasta Tab. 	Pravastatin sodium100mg	Primary hyperlipidemia, Hypercholesterolemia (IIa type), compex type (IIb Type) of hypercholesterolemia and hypertriglyceride	10-40mg once or daily
Sorbid Inj. 	Diluted isosorbid dinitrate100mg/10ml (Isosorbid dinitrate 10mg, sodium chloride 90mg)	Treatment of unresponsive left ventricular failure secondary to acute myocardial infarction, unresponsive left ventricular failure of various aetiology and severe or unstable angina pectoris	Refer to the website of Myungmoon Pharm.Co.,Ltd.
B.E study Valsatan Plus Tab. 	Valsartan80mg Hydrochlorothiazide12.5mg Valsartan160mg Hydrochlorothiazide12.5mg	Essential hypertension to lower blood pressure	1 tablet once daily
B.E study Valsatan Tab. 	Valsartan80mg Valsartan160mg	Essential hypertension to lower blood pressure	1 tablet once daily
B.E study Exnin Tab. 	5mg as amlodipine + Valsartan80mg 5mg as amlodipine + Valsartan160mg 10mg as amlodipine+ Valsartan160mg	Treatment hypertension	10-40mg daily
B.E study Atrovastatin Tab. 	Atorvastatin calcium10.36mg (10mg as atorvastatin) Atorvastatin calcium20.72mg (20mg as atorvastatin)	Prevention of Cardiovascular Disease, Hyperlipidemia	10-40mg daily
B.E study Clopidogrel Tab. 	Clopidogrel75mg	Antithrombotics, Antiplatelet agents	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Aspirin enteric coated Tab. 100mg 	Aspirin100mg	Reduce blood stickiness, the tendency of blood to clot. useful at risk of angina, transient ischaemic attacks, stroke or heart attack	30 - 300mg daily
B.E study Olmesan Tab. 	Olmesartan medoxomil20mg	Treatment of essential hypertension.	10 - 40mg daily
B.E study Ortec Plus Tab. 	Olmesartan medoxomil20mg Hydrochlorothiazide12.5mg	Adult patients whose blood pressure is not adequately controlled on olmesartan medoxomil alone	1 tablet daily
B.E study Rosuvastatin Tab. 	Rosuvastatin calcium20.8mg (20mg as Rosuvastatin) Rosuvastatin calcium10.4mg (10mg as Rosuvastatin) Rosuvastatin calcium5.2mg (5mg as Rosuvastatin)	Antithrombotics, Antiplatelet agents	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Ginkgo leaf Ext. Inj. 	Ginkgo leaf ext17.5/5ml	Peripheral vasodilator & cerebral activators	Refer to the website of Myungmoon Pharm.Co.,Ltd.
B.E study Ginkgoromin Tab. 	Ginkgo biloba leaf extract120mg	peripheral vascular disease, vertigo, pulsatile finnituse, dementia and age-related memory dysfunctionaa	2 times daily

Product name	Composition	Indication	Dosage & Administration
> Antidiabetic drug			
B.E study Glinade Tab.	 Nateglinide 90mg Nateglinide 120mg	Improvement of postprandial sugar for Non-insulin-dependent diabetes mellitus	1 Tablet, 3 times daily, Before meals
B.E study Glyact Tab.	 Pioglitazone HCl 15mg	Non-insulin-dependent diabetes mellitus (Type 2 diabetes)	1 Tablet, once daily
B.E study Mepiril Tab.	 Glimepiride 2mg	Non-insulin-dependent diabetes mellitus (Type 2 diabetes)	Refer to the website of Myungmoon Pharm.Co.,Ltd.
B.E study Mepiril-M Tab.	 Glimepiride 2mg Metformin HCl 500mg	Type 2 diabetes mellitus, when diet, physical exercise and weight reduction alone are not adequate.	Refer to the website of Myungmoon Pharm. Co., Ltd
B.E study Metiben Tab.	 Metformin HCl 500mg Glibenclamide 2.5mg/5mg	Non-insulin-dependent diabetes mellitus of Adult	Refer to the website of Myungmoon Pharm.Co.,Ltd.
B.E study Neurothio HR Tab.	 Thioctic acid 600mg	Relief of diabetic multiple neuritis	1 Tablet, once daily
> Central Nervous System agent			
Psychotropic Prelin Cap.	 Pregabalin 75mg Pregabalin 150mg	• Neuropathic pain caused by damaged nerves due to diabetes, shingles, or spinal cord injury • Fibromyalgia • Partial onset seizures when taken with other seizure drugs	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Psychotropic Myungmoon Risperidone Tab.	 Risperidone 1mg Risperidone 2mg	1. Schizophrenia 2. Short-term treatment of aggression or psychotic symptoms in severe dementia of the Alzheimer type	Refer to the website of Myungmoon Pharm.Co.,Ltd.
B.E study Newraren Tab. Newraren Soft cap. Newraren Inj.	 Choline Alfoscerate 400mg Choline Alfoscerate 400mg Choline Alfoscerate 1g/4mL	• Acute and Rehabilitation Period After Severe Brain Injury • Treat Ischaemic and Hemorrhagic Stroke • Psychoorganic Syndrome Associated with Degenerative and Involuntary Changes in the Brain • Cure Cognitive Disorders • Treat Senile Pseudo-melancholia	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Psychotropic Alprazolam Tab.	 Alprazolam 0.25mg Alprazolam 0.5mg	1. For the management of anxiety disorders or the short-term symptomatic relief of symptoms of excessive anxiety. 2. Anxiety or tension associated with the stress of everyday life usually does not require treatment with an anxiolytic. 3. Treatment of Generalized Anxiety Disorder (GAD) 4. for the management of panic disorder with or without agoraphobia.	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Letiram Tab.	 Levetiracetam 250mg Levetiracetam 500mg Levetiracetam 1000mg	Treating partial-onset, myoclonic, or generalized tonic-clonic seizures in patients with epilepsy	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Stillax Tab.	 Zolpidem Tartrate 10mg	The short-term treatment of insomnia characterized by difficulties with sleep initiation.	Only once per night immediately before bedtime.
B.E study Ceptpezil Tab.	 Donepezil HCl 5mg Donepezil HCl 10mg	Treatment of mild, moderate and severe Alzheimer's type dementia, Relief of Vascular dementia (accompanying cerebrovascular disease)	Refer to the website of Myungmoon Pharm.Co.,Ltd.

Product name	Composition	Indication	Dosage & Administration
Emantine Tab.	 Memantine HCl 10mg	Treatment of moderate to severe Alzheimer's disease	Refer to the website of Myungmoon Pharm.Co.,Ltd.
B.E study Newcatin Tab.	 Acetyl-L-Carnitine HCl 590mg	Primary degenerative disease & Secondary degenerative disease due to cerebrovascular disease.	1 tablet, 2 ~ 3 times daily
B.E study Carmine C.R. Tab.	 Carbamazepine 200mg	1. Epilepsia : psychomotor seizure, mental disorder or spastic attack associated with epilepsy 2. Trigeminal neuralgia 3. Manic state in Mania or Manic-depression, Excitation state of schizophrenia	200 ~ 400mg daily in once to twice divided.
B.E study Topamin Tab.	 Topiramate 25mg Topiramate 100mg	Epilepsy	Refer to the website of Myungmoon Pharm.Co.,Ltd.
B.E study Carmine Tab.	 Carbamazepine 200mg	• Epilepsia : psychomotor seizure, mental disorder associated with epilepsy spastic attack of epilepsy (spastic grand malepilepsy) • Trigeminal neuralgia • Mannia, manic-depressive mania, excitation state of schizophrenia	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Neocoline Inj. 500mg, 1000mg	 Citicoline 500mg/2ml Citicoline 1000mg/4ml	• Stupor caused by head trauma and cerebral surgery • Concomitant therapy with anticholinergic agent for parkinson disease	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Pyrinol Tab.	 Pyridostigmine Bromide 60mg	Myasthenia gravis	1-3 tabelts daily
Quetiapine Tab.	 Quetiapine Fumarate 25mg Quetiapine Fumarate 100mg Quetiapine Fumarate 200mg Quetiapine Fumarate 300mg	• Schizophrenia • Major depressive episodes in bipolar disorder • Manic episodes associated with bipolar disorder	Refer to the website of Myungmoon Pharm.Co.,Ltd.
B.E study Artrex Capsule	 Atomoxetine 10mg Atomoxetine 18mg Atomoxetine 25mg Atomoxetine 40mg Atomoxetine 60mg	Treatment of Attention-Deficit/Hyperactivity Disorder (ADHD)	Refer to the website of Myungmoon Pharm.Co.,Ltd.
B.E study Rivaron Patch	 Rivastigmine 9mg Rivastigmine 18mg	Treatment of mild to moderate dementia of the Alzheimer's type Treatment of mild to moderate dementia associated with Parkinson's disease	Refer to the website of Myungmoon Pharm.Co.,Ltd.

> Osteoporotic therapeutics

B.E study Bonnel Tab.	 Risedronate sodium 35mg Risedronate sodium 150mg	Treatment and Prevention of osteoporosis in postmenopausal women Treatment of osteoporosis in male	1 tablet, once, weekly 1 tablet, once, monthly
B.E study Bonpil Plus D Tab.	 Alendronate Sodium 91.37mg (70mg as alendronic acid) Cholecalciferol concentrated 53.33mg (5600 IU as Vitamin D ₃)	Treatment of osteoporosis in postmenopausal women; treatment to increase bone mass in men with osteoporosis	1 tablet, once, weekly
B.E study Bonpil Tab.	 Sodium Alendronate 91.37mg (alendronic acid 70mg)	Treatment of osteoporosis in postmenopausal women Treatment of osteoporosis in male	1 tablet, once, weekly
Mycal D Tab.	 Cholecalciferol 4mg Calcium citrate 1,139mg Cyanocolbalamin 0.5mg Folic acid 0.25mg	Bone diseases, Enhancement of recovery of fracture, Osteomalacia, Calcium supplementation in pregnancy and lactation, Urticaria, Acidosis, Allergic dermatitis.	500 ~ 1000mg, 3 times daily

> Urogenital agent

B.E study Urona Tab.	 Propiverine HCl 10mg Propiverine HCl 20mg	Urinary frequency or Urinary incontinence in the following disease : neurogenic bladder, neurogenic urinary frequency, unstable bladder, bladder-irritative symptom (chronic cystitis, chronic prostatitis)	1 Tablet, once daily
---------------------------------------	--	--	----------------------

Product name	Composition	Indication	Dosage & Administration
> Hormone			
B.E study Libron Tab.	 Tibolone 2.5mg	Treatment of the following symptoms resulting from the natural or surgical menopause in post menopausal women : Flushing, Nocturnal sweating	2.5mg once daily
Esgen Tab.	 Estropipate 0.625mg Estropipate 1.25mg	Treatment of moderate to severe vasomotor symptoms associated with menopause	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Esgen Vaginal Cream15g, 42.5g	 Estropipate 1.5mg/g	Atrophy of vulva and Vaginal atrophy	2 ~ 4g daily
EsdioI-Half Tab.	 Estradiol hemihydrate1.03mg Norethisterone acetate.....0.5mg	1. Hormone replacement therapy in oestrogen deficiency in postmenopausal women 2. Prevention of osteoporosis in postmenopausal women.	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Progen Tab.	 Medroxyprogesterone acetate 2.5mg Medroxyprogesterone acetate 5mg	Secondary amenorrhea Mild to moderate endometriosis	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Levonion One Tab.	 Levonorgestrel 1.5mg	Oral emergency contraceptive indicated for use within 72 hours of unprotected intercourse.	1 tablet for a time
B.E study Telacort Tab.	 Deflazacort 6mg	Rheumatic disease or Collagenous disease, dermal disease, Allergic disease, Respiratory disease, Ophthalmic disease	6 ~ 90mg daily
Preforin Inj.	 Methylprednisolone sodium succinate 53.12mg (40mg as methylprednisolone)	Endocrine disorders, Rheumatic Disorders, Collagen Disease (Immune and complex disease)	Refer to the website of Myungmoon Pharm.Co.,Ltd.
> Narcotics			
Fentanyl citrate Inj.	 Fentanyl citrate 50 μ g /1ml Fentanyl citrate 100 μ g /2ml Fentanyl citrate 500 μ g /10ml Fentanyl citrate 1000 μ g /20ml	Induction and Maintenance of anaesthesia, Narcotic analgesic supplement	Premedication : 30 to 60 minutes prior to surgery : 50 to 100 μ g
B.E study Fentanyl citrate Patch	 Fentanyl 12 μ g /h Fentanyl 25 μ g /h Fentanyl 50 μ g /h	Maintenance of anaesthesia, Narcotic analgesic supplement	1 patch for 2 days
Stomol Inj.	 Morphine sulfate 5mg/5ml Morphine sulfate 10mg/10ml Morphine sulfate 20mg/2ml	Relief of moderate to severe pain not responsive to non-opioid analgesics	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Morphine HCl Inj.	 Morphine HCl 10mg/ml	Pain, cholelithiasis pain, nephrolithiasis pain, Gastrodynia, Bronchial asthma	5 ~ 10mg at once
Pethidine HCl Inj.	 Pethidine HCl 50mg/ml	Analgesia, Sedation, Spasmodic	35 ~ 50mg at once
C.I.A. Capsule	 Acetaminophen 250mg Ibuprofen 200mg Codeine phosphate 10mg	Relief of mild to moderate pain caused by inflammation	1 ~ 2 Capsules, every 4 hours
Codeine phosphate Tab.	 Codeine phosphate 20mg	Analgesia, Sedation, Spasmodic	1 tablet, 3 times daily
Empidon Tab.	 Oxycodone hydrochloride 5mg	Relief of moderate to severe pain	Refer to the website of Myungmoon Pharm.Co.,Ltd.

Product name	Composition	Indication	Dosage & Administration
> Anesthetics			
Psychotropic Pharmawin Inj.	 Pentazocine 30mg/ml	Severe pain, supplement to surgical anaesthesia	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Mobinul Inj.	 Glycopyrrolate 0.2mg/ml	Preoperative antimuscarinic to reduce salivary, tracheobronchial and pharyngeal secretions; to reduce the volume and free acidity of gastric secretions, and to block cardiac vagal inhibitory reflexes	0.02ml/kg
Pyrinol Inj.	 Pyridostigmine Bromide 5mg/ml	Reversal agent or antagonist to nondepolarizing muscle relaxants drug, Myasthenia gravis	2 ~ 4 ampoules
Psychotropic Midacum Inj.	 Midazolam 5mg/5ml Midazolam 15mg/3ml	Sedation prior to surgery, To impair memory of preoperative events, Sedation prior to short-term diagnosis or endoscopic procedures	For sedation : one hour before surgery : 0.07~0.08mg/kg
Bupivacaine HCl Inj. 0.25%, 0.5%	 Bupivacaine HCl 50mg/20ml Bupivacaine HCl 100mg/20ml	Conduction anesthesia, Epidural anesthesia	Maximum 2mg/kg per dose
Bupivacaine HCl Heavy Inj. 0.5%	 Bupivacaine HCl 21.12mg/4ml	Spinal anesthesia in surgery	2 ~ 4ml injection
Dobutamine HCl Inj.	 Dobutamine HCl 280.3mg/5ml (250mg as Dobutamine)	Inotropic support is necessary for the treatment of patients with hypoperfusion states in whom cardiac output is insufficient to meet circulatory demands	2.5 ~ 10 μ g/kg/min.
Esbloc Inj.	 Esmolol HCl 100mg/10ml	Rapid control of ventricular rate in patients with atrial fibrillation or atrial flutter in perioperative, postoperative, or other emergent circumstances	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Mezoca Inj.	 Caffeine and sodium benzoate 220mg/2ml	1. Treatment for headache caused from the spinal cord. 2. Adjuvant of respiratory excitant in respiratory depression caused by alcoholism and morphinism	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Procaine Inj. 2%	 Procaine HCl 400mg/20ml	Conduction anesthesia, Epidural anesthesia	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Flumazenil Inj.	 Flumazenil 500 μ g/5ml	- Termination of hypnosedative effects in general anaesthesia induced and/or maintained with benzodiazepines in hospitalized patients - Reversal of benzodiazepine sedation in short-term diagnostic and therapeutic procedures in ambulatory patients and hospitalized patients In intensive care situations - For the specific reversal of the central effects of benzodiazepines, in order to restore spontaneous respiration - For diagnosis and treatment of intoxication or overdose with only or mainly benzodiazepines	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Mortorin Inj.	 Ketamine HCl 576.8mg/10ml	As the sole anaesthetic agent for diagnostic and surgical procedures for the induction of anaesthesia prior to the administration of inhalation anaesthesia as support during anaesthesia	I.V. : 1-2mg/kg I.M. : 5-10mg/kg
> Antineoplastics			
Doxifluridine Cap.	 Doxifluridine 100mg Doxifluridine 200mg	Gastric cancer, Breast Cancer, Colorectal cancer	800-1200mg daily

Product name	Composition	Indication	Dosage & Administration
> Antidepressant			
Sertram Tab.	 Sertraline 50mg	• Depressive disorder • obsessive compulsive disorder • Post traumatic stress disorder • Social phobia • Premenstrual dysphoric disorder	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Estoram Tab.	 Escitalopram 10mg	Major depressive disorder	1 ~ 2 tablets, once daily
Loxetin Cap.	 Fluoxetine HCl 10mg	Depression, Nervosa hyperorexia, Obsessive-compulsive disorder, Premenstrual dysphoric disorder	Refer to the website of Myungmoon Pharm.Co.,Ltd.
B.E study Nobsetin Cap.	 Fluoxetine HCl 22.4mg	Depression, Nervosa hyperorexia, Obsessive-compulsive disorder, Premenstrual dysphoric disorder	Refer to the website of Myungmoon Pharm.Co.,Ltd.
> Appetite suppressant			
Lenoxin Tab.	 Diethylpropion HCl 25mg	Appetite suppressant for weight reduction concurrent with calorie restricted diet therapy	1 tablet, 3 times daily
Phentacin Tab.	 Phendimetrazine tartrate 35mg	Appetite suppressant for weight reduction concurrent with calorie restricted diet therapy	1 tablet, 3 times daily
Lediphen Tab.	 Phentermine HCl 37.5mg	Appetite suppressant for weight reduction concurrent with calorie restricted diet therapy	1 tablet, once daily
> Adjunct for weight reduction			
Slintea Cap.	 Green tea powder 250mg Orthosiphon powder 150mg	Adjunct for reduce weight reduction in obesity or overweight	1 ~2 capsules, 3 times daily
Lochol Soft Cap.	 Safflower oil 330mg Tocopherol acetate 6.67mg Pyridoxine HCl 0.67mg	Obesity, Improvement of lipid metabolism caused by diabetic essential cholesterolemia	3 capsules, 3 times daily
Salight Tab.	 Bangpoongtongsungsan dried ext. 237.5mg	Following symptoms in patients who have a lot of hypodermic fat of abdomen and constipation : Concomitant symptom of hypertension (Palpitation, stiff shoulder, reverse image), obesity, edema, constipation	4 tablets, 3 times daily
> Other preparation			
Hepamarin Soft Cap.	 Carduus marianus Ext.....175mg	Adjuvant therapy in the following diseases : Toxic liver disease, Chronic hepatitis, Cirrhosis	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Sicobin Inj.	 Ascorbic acid 10g/20mL	Scurvy, Pregnancy and Lactation, Elbow grease	Refer to the website of Myungmoon Pharm.Co.,Ltd.
B.E study Damocare Tab.	 Finasteride 1mg	Treatment of androgenetic alopecia	1 tablet, once daily
Acyrax Tab.	 Acyclovir 200mg	Herpes simplex virus infection of the skin and mucous membranes including initial and recurrent genital herpes, herpes zoster(shingles) infection, chicken pox (varicella) in children over the age of two years.	5 tablets daily divided

Product name	Composition	Indication	Dosage & Administration
Emti Tab.	 Docusate 16.75mg Bisacodyl 5mg	Constipation or Relief of the following symptoms in constipation : Anorexia (Decrease in appetite), Abdominal distension, Intestinal abnormal fermentation	2 tablets, once daily
Mecomin Cap.	 Mecobalamin 500 μ g	Peripheral neuropathies	1 ampoule per dose 3 times per week
Zincron Inj.	 Zinc sulfate hydrate 4.4mg	Additive to solutions for Total Parenteral Nutrition (TPN)	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Otron Inj.	 Ondansertron HCl 5mg/2ml Ondansertron HCl 10mg/4ml	For the management of nausea and vomiting induced by cytotoxic chemotherapy and radiotherapy	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Femorum Inj.	 Iron hydroxide sucrose complex 2700mg/5ml (20mg as Fe per ml)	Iron deficiency anemia in adult patients with chronic kidney disease	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Leucosodium Inj. 5%	 7ml Contains Leucovorin sodium --- 382.48mg (350mg as leucovorin) 4ml Contains Leucovorin sodium --- 218.44mg (200mg as leucovorin)	Rescue after high dose methotrexate therapy, diminishing the toxicity and counteract the effects of impaired methotrexate elimination and of inadvertent overdoses of folic acid antagonists. Administration in Combination with 5-fluorouracil to treatment of patients with advanced colorectal cancer.	Refer to the website of Myungmoon Pharm.Co.,Ltd.
UDCA Tab.	 Ursodeoxycholic acid 300mg	The treatment of patients with primary biliary cirrhosis (PBC).	1 tablet 3 times daily
> OTC Drug			
Antinauseant applied on skin behind on ear Kimite Patch	 Each patch contains Scopolamine 1.5mg	Prevention of nausea and vomiting associated with motion sickness	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Antinauseant applied on skin behind on ear Kimite patch for children	 Scopolamine 0.75mg	Prevention of nausea and vomiting associated with motion sickness	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Preparation for hepatic function Solbom Solution	 100mL contains L-Arginine 7.31g Citric acid hydrate 2.94g Betain HCl 5g (3.8132g as Betain) Methyl parahydroxy-benzoate 90mg Propyl parahydroxy-benzoate 10mg	Adjuvant therapy of Dyshepatia and Alcoholic fatty liver.	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Sanoba Spray	 100ml contains Lidocaine 9.6mg	To reduce tactile sensitivity in the male in advance of intercourse.	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Mogane Spray	 100mL contains Azulene soluble 0.02g	Antiinfectives and antiseptics for local oral treatment Throat pain of throat inflammation, edema of throat, displeasure of throat, hoarseness, stomatitis	Refer to the website of Myungmoon Pharm.Co.,Ltd.

Product name	Composition	Indication	Dosage & Administration
Antacids, other combinations Ramisin Tab. 	Each tablet contains Ranitidine HCl 31.5 mg (28.227mg as Ranitidine) Magnesium Oxide 50 mg Aluminum Magnesium Silicate 125 mg Aluminum Magnesium Hydroxide 100 mg	Stomachache, Brash, Dyspepsia, Nausea	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Preparation for Gingival disease Restol Capsule 	Each capsule contains Lysozyme chloride 30mg Ascorbic acid coated 156.25mg (150mg as Ascorbic acid) Carbazochrome 2mg Tocopherol acetate 50% 10mg (5mg as Tocopherol acetate)	Relief of Gingivitis and Symptoms associated with pyorrhea alveolaris (gum flare, swelling, bleeding and pain)	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Anti-inflammatory analgesics Naproxen Tablet 	Each tablet contains Naproxen Sodium 275mg	Main indication : Rheumatoid arthritis, Osteoarthritis (Degenerative joint disease), Ankylosing spondylitis, Tenositis, Acute gout, Dysmenorrhea	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Ophthalmic eye nutrient containing snake oil Eyepius Soft Cap. 	Each capsule contains Snake oil 296.7mg Retinol palmitate oil 2mg (2,000 IU as Vitamin A) Ergocalciferol 200IU. Copper chlorophyll 0.3mg	Relief of the following symptom : eye dryness, Growth abnormality of pubis development, Prevention of nyctalopia and rickets Supplement of Vitamin A, D in the following cases : Pregnancy and Nursing period, during or after illness, developmental period, Senile period	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Muscle relaxant Methona Tab. 	Methocarbamol 250mg	Back pain, Cervicobrachial syndrome, Periarthritis of shoulder, Deforming spondylitis	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Zenacom Tab. 	Albendazole 400mg	Ancylostomiasis, enterobiasis, ascariasis, whipworm infection, neurocysticercosis, hydatid disease	1 tablet per day
Eye new Eye drop 	In 1ml, Water soluble Azulene 0.2mg Dipotassium Glycyrrhizinate 1mg Chlorpheniramine maleate 0.2mg	Eyestrain, Conjunctival congestion, Prevention of eye disease (after swimming or due to dust or sweat), Eye inflammation (snow blindness) due to ultraviolet light & other light rays, Blepharitis (eyelid inflammation), Discomfort while wearing hard contact lenses, Eye itching, Blurred vision (in case of excessive eye mucus)	Refer to the website of Myungmoon Pharm.Co.,Ltd.
OPT clean Eye drop 	In 1ml Sulfamethoxazole 40mg Dipotassium glycyrrhizinate 1mg Chlorpheniramine maleate 0.2mg Amino caproic acid 20mg	Conjunctivitis (Epidemic conjunctivitis), Hordeolum, Eyelid inflammation, Eye itching	1 ~ 3 drops once, 3 ~ 6 times daily
Antifungal topical remedy Tenasil Cream 	1g contains Terbinafine HCl 10mg (8.888mg as Terbinafine) Benzyl alcohol 10mg	Tinea pedis, Tinea cruris, Tinea corporis, Tinea versicolor, Skin candidiasis	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Broad topical remedy Beraston Cream 	1g contains Gentamicin Sulfate 1mg Betamethasone Valerate 0.61mg/g	2nd infected allergic or inflammatory skin disease : eczema, contact dermatitis, seborrheic dermatitis, atopic dermatitis, photodermatitis, chronic simple lichenification, intertrigo, dermatitis exfoliativa, itching, psoriasis 1st degree burn	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Therapeutics for wound or dermal disease Barosil Cream 	1g contains Dexpanthenol 50mg Chlorhexidine HCl 5mg Benzyl alcohol 2mg	- Following type wound having risk of infection : brush burn, incised wound, laceration, burning, dermatitis - Chronic wound : Limb ulcer, decubitus ulcer - Secondary infected eczema, Skin infection such as chronic simplex lichen (neurodermatitis) - Cracked nipple during lactation - Minor operation : Skin damage, Operative wound	Refer to the website of Myungmoon Pharm.Co.,Ltd.
Chodimin Cream 	1g contains Betamethasone dipropionate 0.64mg Clotrimazole 10mg Gentamicin Sulfate 1mg	Corticoid responsive dermatosis associated with bacterial or fungal infection : allergy dermatitis, contact dermatitis, atopic dermatitis, seborrheic dermatitis, eczema, intertrigo, exfoliative dermatitis, lichen simplex chronicus	Refer to the website of Myungmoon Pharm.Co.,Ltd.

35th
Anniversary
1983-2018



Myungmoon Pharm. Co., Ltd.

www.mmpharm.co.kr

Head Office : Myungmoon Bldg, 7,Gangnam-daero 54-gil, Gangnam-gu, Seoul, Korea
Tel: 82-2-6711-2028, Fax: 82-2-572-5137
E-mail : mmpharm@mmpharm.co.kr
wjcho@mmpharm.co.kr

Factory : 26, Jeyakgongdan 2-gil, Hyangnam-Eup, Hwaseong-Si, Gyeonggi-Do, Korea
Tel: 82-31-350-4000, Fax: 82-31-353-7111